

## Safety Data Sheet

According to 1907/2006/EC, Article 31

Product Identifier

**EWI-040 SILICONE SILICATE RENDER**

Revision: 5.01.2018

Printing date 5.01.2018

Version number: R0/2

## Section 1

# Identification of the substance/mixture and of the manufacturer/ product distributor

### 1.1 Product identifier

Trade name: EWI-040 SILICONE SILICATE RENDER

### 1.2 Correct/incorrect uses of the substance/mixture

#### **Application of the substance / the preparation**

Render finish - this product is used for coating building surfaces.

This product should not be used for any other purpose.

### 1.3 Details of the supplier of the safety data sheet

#### Manufacturer:

KREISEL - Technika Budowlana Sp. z o.o.

ul. Szarych Szeregów 23

60-462 Poznan

Poland

Tel. +48 (0)61 846 79 00

Fax +48 (0)61 846 79 09

poznan@kreisel.pl

kreisel.pl

#### Supplier:

EWI Pro External Wall Insulation Systems

UNIT 1, Kingston Business Centre

Fullers Way Road Chessington KT9 1DQ

tel. 0800 1337072;

www.ewipro.com; info@ewipro.com

For further information, contact:

Bartosz Polaczyk (On working days 8 a.m. - 4 p.m.)

Tel.: +48(0)510 022 908, +48/(0)61 - 84

67 966, Bartosz.Polaczyk@kreisel.pl

Jarosław Białecki (On working days 8 a.m. - 4 p.m.)

Tel.: +48/(0)509 553 378, +48/(0)44 - 726 16 65, Jaroslaw.Bialecki@kreisel.pl

### 1.4 Emergency telephone number

Environment Agency Emergency Hotline: +44/(0)800 80 70 60

Emergency Services (UK): 999

## Section 2

# Hazards identification

### 2.1 Classification of the substance or mixture

#### **Classification according to Regulation (EC) No 1272/2008**

The product is not classified according to the CLP regulation.

## 2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008

Void

**Hazard pictograms**

Void

**Signal word**

Void

**Hazard statements**

Void

**Precautionary statements**

Observe the general safety regulations when handling chemicals.

**Additional information:**

EUH208 Contains Mixture of 5-Chloro-2-methyl-2H-isothiazolin-3-one [EC 247-500-7] and 2-Methyl-2H-isothiazol-3-one [EC 220-239-6] (3:1).

May produce an allergic reaction.

## 2.3 Other hazards

Health hazards can occur after inhalation of aerosols.

**Results of PBT and vPvB assessment**

**PBT:** Not applicable. **vPvB:** Not applicable.

## Section 3

### Composition/information on ingredients

#### 3.1 Chemical characterisation: Substances

This product is a mixture.

#### 3.2 Chemical characterisation: Mixtures

Description: Mixture of silicone and other polymer dispersion, water glass and non-hazardous fillers and additions.

**Dangerous components:**

No declarable substances

**Additional information:**

For the wording of the listed hazard phrases refer to section 16.

Other components (>10%)		
CAS: 1317-65-3 EINECS: 215-279-6 Reg.nr.: -	Limestone (Calcium carbonate)	50-100%
CAS: 7732-18-5 EINECS: 231-791-2 Reg.nr.: -	Water	10-25%

## Section 4

### First aid measures

#### 4.1 Description of first aid measures

**General information:**

For first responder no special personal protective equipment is required. First responder should avoid contact with the product where possible.

#### **After inhalation:**

Take affected persons into fresh air. It is always advisable to seek medical treatment. If patient is unconscious, turn the patient on their side. Check that their breathing is stable and if not seek out first aider to perform artificial respiration and/or CPR (cardio pulmonary resuscitation).

#### **After skin contact:**

Immediately wash with water and soap and rinse thoroughly. Immediately remove all soiled and contaminated clothing. Wash contaminated clothes before re-use. Clean contaminated shoes before re-use. If skin irritation continues, consult a medical professional.

#### **After eye contact:**

Do not rub eyes because this can cause additional damage. If necessary, remove contact lenses and immediately rinse the eye with water, or if possible, with isotonic eyewash solution (e.g. 0.9% NaCl). Always consult a medical professional.

#### **After swallowing:**

Do not induce vomiting. If physically able, rinse mouth with water and drink plenty of water. Consult a medical professional or poison control center.

### **4.2 Most important symptoms and effects, both acute and delayed**

Symptoms and effects are described in section 2 and 11.

#### **Hazards**

No further relevant information available.

### **4.3 Indication of any immediate medical attention and special treatment needed.**

If it is necessary to seek medical attention, this safety data sheet should be presented to the medical professional.

## **Section 5 Firefighting measures**

### **5.1 Extinguishing media**

#### **Suitable extinguishing agents:**

The mixture is fire resistant in both delivery condition and mixed condition. In the event of a fire, the mixture will not need extinguishing.

### **5.2 Special hazards arising from the substance or mixture**

This product is neither explosive nor flammable, and non-oxidizing with other materials.

### **5.3 Advice for firefighters**

No special measures required. Collect contaminated fire fighting water separately. It must not enter the sewage system. Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

## **Section 6 Accidental release measures**

### **6.1 Personal precautions, protective equipment and emergency procedures**

If appropriate, reference must be made to exposure controls and personal protection (see section 8).

### **6.2 Environmental precautions**

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

### **6.3 Methods and material for containment and cleaning up**

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose of the material collected according to regulations.

### **6.4 Reference to other sections**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## Section 7

### Handling and storage

#### **7.1 Precautions for safe handling:**

Ensure good ventilation in the workplace. Avoid contact with the eyes and skin. Wear protective clothing. Washing facilities / water for cleaning eyes and skin should be available. People with skin diseases or other hypersensitivity reactions of the skin, should not handle the product. Do not eat, drink, smoke or sniff the product.

#### **Information about fire - and explosion protection:**

No special measures required.

#### **7.2 Conditions for safe storage, including any incompatibilities**

##### **Storage:**

##### **Requirements to be met by storerooms and containers:**

Keep out of reach of children. Store in cool, dry place in tightly closed containers.

##### **Information about storage in one common storage facility:**

Keep away from food and drink.

##### **Further information about storage conditions:**

Protect from frost. Protect from heat and direct sunlight.

##### **Minimum storage temperature:**

Minimum storage temperature (+5 °C up to 25 °C): See indication on package.

**Storage class:** 10

#### **7.3 Specific end use(s)**

No further relevant information available.

## Section 8

### Exposure controls/personal protection

#### **8.1 Control parameters**

##### **Ingredients with limit values that require monitoring at the workplace:**

The product does not contain any relevant quantities of materials with critical values that have to be monitored in the workplace.

##### **Additional information:**

During manufacture, the valid lists were used as a guidance only.

#### **8.2 Exposure controls**

##### **8.2.1. Personal protective equipment**

##### **General protective and hygienic measures:**

For any skin sensitivities, use skin protection cream. Avoid close or long term contact with the skin. Avoid contact with the eyes. Wash hands before breaks and at the end of work. Keep away from food and drink. Do not sniff the product.



**Respiratory protection:**

Use suitable respiratory protective device only when aerosol or mist is formed (FFP2 according to EN 149)



**Protection of hands:**

Hand protection: Chemical resistant protective gloves according EN 374

The glove material has to be impermeable and resistant to the product. Recommendation to the glove material can be given for the product. Select the glove material on consideration of the penetration times, rates of diffusion and the degradation. Check protective gloves are in good condition before use. Preventative skin protection by use of skinprotecting agents is recommended. To avoid skin problems reduce the wearing of gloves to the required minimum.

**Penetration time of glove material:**

Check with the glove manufacturer for exact break through times.

**Gloves made of the following materials are suitable:**

Nitrile rubber, NBR gloves

Synthetic rubber gloves

PVC gloves

Recommended thickness of the material:  $\geq 0,15\text{mm}$

**Gloves made of the following materials are not suitable:**

Leather gloves



**Eye protection:**

In case of splash risk use tightly fitting safety goggles according to EN 166.



**Body protection:**

Protective work clothing

**Risk management measures:**

Operator training in the correct use of personal protective equipment is necessary to ensure the required level of effectiveness.

**8.2.2. Information about design of technical facilities**

No further data; see item 7.

**8.2.3. Limitation and supervision of exposure into the environment**

Avoid release into the environment. Use the surplus or dispose of it properly.

## Section 9

# Physical and chemical properties

<b>9.1 Information on basic physical and chemical properties</b>	
General Information	
<b>Appearance:</b>	
Form	Paste
Colour	Different according to colouring
Odour	Characteristic
pH-value at 20 °C (68 °F)	9 - 10
Change in condition Initial boiling point and boiling range:	102 - 105 °C (216 - 221°F)
Flash point	> 100°C (> 212°F)
Flammability (solid, gas)	Not applicable.
Ignition temperature	Product is not self-igniting.
Decomposition temperature	>825°C to CaO and CO <sub>2</sub>
Auto-ignition temperature	Product is not self-igniting.
Explosive properties	Product does not present an explosion hazard.
Explosion limits:	
Lower	Not determined.
Upper	Not determined.
Vapour pressure at 20 °C (68 °F)	23 hPa (17 mm Hg)
Density at 20 °C (68 °F)	1.6 g/cm <sup>3</sup> (13.352 lbs/gal)
Solubility in / Miscibility with water:	Fully miscible.
Viscosity: Dynamic at 20 °C	(68 °F): > 1000 mPas
Solvent content:	
Organic solvents	0.0 %
Water	14.4 %
VOC (EC)	0.00 %
Solids content	87.9 %

## Section 10

# Stability and reactivity

### 10.1 Reactivity

No dangerous reactions known.

### 10.2 Chemical stability:

The product is stable as long as it is stored properly and kept dry.

#### **Thermal decomposition / conditions to be avoided:**

No decomposition if used according to specifications.

### 10.3 Possibility of hazardous reactions

No dangerous reactions known.

### 10.4 Conditions to avoid

No further relevant information available.

### 10.5 Incompatible materials

No further relevant information available.

## 10.6 Hazardous decomposition products

No dangerous decomposition products known.

### Additional information:

No further relevant information available.

## Section 11 Toxicological information

### 11.1 Information on toxicological effects

The product was not investigated. The statement is derived from the properties of the single components.

#### Acute toxicity:

Based on available data, the classification criteria are not met.

LD/LC50 values relevant for classification		
ATE (Acute Toxicity Estimates)		
Inhalation	Limestone (Calcium carbonate)	50-100%
1 317-65-3 Limestone (Calcium carbonate)		
Oral	LD50	6450 mg/kg (Rat) (RTECS Data)
Acrylate/Styrol copolymer		
Oral	LD50	> 5000 mg/kg (Rat)
Dermal	LD50	> 5000 mg/kg (Rat)

#### Primary irritant effect:

##### On the skin:

Based on available data, the classification criteria are not met.

##### On the eye:

Based on available data, the classification criteria are not met.

##### Sensitisation:

Sensitising effect by skin contact is possible by prolonged exposure.

##### Germ cell mutagenicity:

Based on available data, the classification criteria are not met.

##### Carcinogenicity:

Based on available data, the classification criteria are not met.

##### Reproductive toxicity:

Based on available data, the classification criteria are not met.

##### Specific target organ toxicity - single exposure (STOT SE):

Based on available data, the classification criteria are not met.

##### Specific target organ toxicity - repeated exposure (STOT RE):

Based on available data, the classification criteria are not met.

##### Aspiration hazard:

Based on available data, the classification criteria are not met.

### 11.2 Practical experience

No further relevant information available.

### 11.3 General comments

No further relevant information available.



## Section 12

# Stability and reactivity

### 12.1 Toxicity

The product was not investigated. The statement is derived from the properties of the single components.

<b>Aquatic toxicity</b>	
<b>1317-65-3 Limestone (Calcium carbonate)</b>	
LC50 (96h)	>100 mg/l (Rainbow trout - oncorhynchus mykiss) (OECD 203)
LC50 (48h)	>100 mg/l (Water flea - daphnia magna) (OECD 202)
EC50	>14 mg/l (Algae - desmodesmus subspicatus) (OECD 201) >1000 mg/l (Activated sewage sludge) (OECD 209)
<b>Acrylate/Styrol copolymer</b>	
LC50 (96h)	>100 mg/l (Zebrafish - danio rerio)
LC50 (48h)	>100 mg/l (Water flea - daphnia magna)
EC50 (72h)	>100 mg/l (Algae - desmodesmus subspicatus)

### 12.2 Persistence and degradability

Part of the components are biodegradable.

### 12.3 Bioaccumulative potential

No further relevant information available.

### 12.4 Mobility in soil

<b>Ecotoxicological effects</b>	
<b>Acrylate/Styrol copolymer</b>	
EC20 (0,5h)	>100 mg/l (Activated sludge organisms)

### Additional ecological information:

#### General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

### 12.5 Results of PBT and vPvB assessment

**PBT:** Not applicable.

**vPvB:** Not applicable.

### 12.6 Other adverse effects

No further relevant information available.

#### Literature

No further relevant information available.

## Section 13 Disposal considerations



Must not be disposed together with household rubbish.



Do not allow product to reach sewage system.

European waste catalogue	
08 01 20	Aqueous suspensions containing paint or varnish other than those mentioned in 08 01 19
17 09 04	Mixed construction and demolition wastes other than those mentioned in 17 09 01, 17 09 02 and 17 09 03
15 01 02	Plastic packaging
08 01 20	Residues of the unprocessed product

### 13.2 Uncleaned packaging

#### Recommendation:

Disposal must be made according to official regulations. Recycle only completely emptied packaging.

#### Recommended cleansing agents:

Water and/or cleansing agent.

## Section 14 Transport information

14.1 UN-Number ADR, ADN, IMDG, IATA	VOID
14.2 UN proper shipping name ADR, ADN, IMDG, IATA	VOID
14.3 Transport hazard class(es) ADR, ADN, IMDG, IATA Class	VOID
14.4 Packing group ADR, IMDG, IATA	VOID
14.5 Environmental hazards Marine pollutant:	No
14.6 Special precautions for user	Not applicable.
14.7 Transport in bulk according to Annex II of Marpol and the IBC Code	Not applicable.
UN "Model Regulation":	Void

## Section 15 Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Observe the general safety regulations when handling chemicals.

#### Directive 2012/18/EU

#### Named dangerous substances - ANNEX I :

None of the ingredients are listed.

#### National regulations:

#### Biozide ingredients (98/8/EG):

Data based on recipe and information on the raw materials from the supply chain.

Tetramethylolacetylene diurea	<0,05%
Mixture of 5-Chloro-2-methyl-2H-isothiazolin-3-one [EC 247-500-7] and 2-Methyl-2H-isothiazol-3-one [EC 220-239-6] (3:1)	<0,0015%
1,2-Benzisothiazol-3(2H)-one	<0,00015%

### **Classification according 2004/42/EC:**

IIA(c) 40 - this product contains < 40 g/l VOC (see chapter 9)

### **Water hazard class:**

Water hazard class 1 (Self-assessment): slightly hazardous for water.

### **Other regulations, limitations and prohibitive regulations:**

**Regulation (EC) No 1907/2006** of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC

**Regulation (EC) No 1272/2008** of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006

**Directive 1999/45/EC** of the European Parliament and of the Council of 31 May 1999 concerning the approximation of the laws, regulations and administrative provisions of the Member States relating to the classification, packaging and labelling of dangerous preparations

**Commission regulation (EU) 2015/830** of 28 May 2015 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH)

**Regulation (EC) 1013/2006** on shipments of waste

**Technical Rules for Hazardous Substances 900** - Workplace exposure limits (TRGS 900, Germany)

### **15.2 Chemical safety assessment**

A Chemical Safety Assessment has not been carried out.

## Section 16 Other information

### **Reasons for changes:**

\* Data compared to the previous version altered.

### **Advice for instructions:**

Additional training in activities involving hazardous substances is not required.

### **Department issuing MSDS:**

Product safety department (+43/(0)5522-41646-0 / klaus.ritter@fixit-gruppe.com)

### **Contact:**

Dr. Klaus Ritter

### **Further information:**

The information in this safety data sheet describes the safety requirements of our product and is based on our current state of knowledge. These sheets provide no assurance of product quality. The recipient must act responsibly during use and observe the existing laws, ordinances and regulations that are not mentioned on this datasheet.

### **Abbreviations and acronyms:**

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)  
ICAO: International Civil Aviation Organisation  
MAK: Maximale Arbeitsplatz-Konzentration (maximum concentration of a chemical substance in the workplace, Austria/Germany)  
PBT: persistent, bioaccumulative and toxic properties  
vPvB: very persistent, bioaccumulative properties  
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)  
IMDG: International Maritime Code for Dangerous Goods  
IATA: International Air Transport Association  
GHS: Globally Harmonised System of Classification and Labelling of Chemicals  
EINECS: European Inventory of Existing Commercial Chemical Substances  
ELINCS: European List of Notified Chemical Substances  
CAS: Chemical Abstracts Service (division of the American Chemical Society)  
LC50: Lethal concentration, 50 percent  
LD50: Lethal dose, 50 percent  
PBT: Persistent, Bioaccumulative and Toxic  
vPvB: very Persistent and very Bioaccumulative



**EWI Pro External Wall Insulation Systems**

🏠 Unit 1, Kingston Business Centre,  
Chessington, Surrey, KT91DQ

📞 08001337072

✉️ info@ewipro.com

🌐 [www.ewipro.com](http://www.ewipro.com)